

Measuring cholesterol levels

AstraZeneca has, through a grant, fully funded all costs for the technical development and hosting of the modules. AstraZeneca has had no influence on the content of the modules and full editorial control remains the sole responsibility of the Primary Care Diabetes Society.



Assessment answers



Question 1

Which one of the following statements is correct?

The total cholesterol level...

- 1. Is all that is important
- 2. Can only be done on a fasted sample
- 3. Is always constant
- 4. Should include a lipid profile





Which one of the following statements is correct?

- 1. HDL is beneficial cholesterol and LDL is harmful
- 2. HDL is harmful cholesterol and LDL is beneficial
- 3. Elevated triglycerides only confer a risk of pancreatitis
- 4. LDL is the most important parameter to measure





Which one of the following statements is correct?

Current treatment of lipids does not include...

- 1. Lifestyle advice that includes diet and activity
- 2. Statin therapy for all
- 3. Statin therapy if aged over 40 years with diabetes
- 4. Statin therapy if diabetes is present for > 20years



Question 4

Which one of the following statements is correct?

- 1. All statins are similar in efficacy
- 2. If a person has intolerance to one statin, they are likely to have problems with all the statins
- 3. Statins reduce cholesterol and glucose
- 4. Statins have other actions to reduce heart disease and stroke over and above cholesterol lowering

