# Increasing equity and access: Supermarket clinics

Nicola Pearson, Fiona Kirkland, Jill Turner, Tracey Roe and Carol Burton, South Staffordshire PCT Primary Care Diabetes Team

he primary care diabetes specialist nurse (DSN) team in South Staffordshire PCT are a nurse-led specialist service. The team was formed as part of a redesign of diabetes care provision locally aiming to improve quality of care received in a person-centred approach with increased accessibility. A key aim has been to develop a responsive and locally based service, which puts the person with diabetes firmly at its centre. One of the team's initiatives has been the development of late-night, 5–9.30 pm community specialist clinics at a local supermarket.

## Background

The supermarket is centrally located with good bus service links, has a free, large car park and facilities all on one level so is suitable for people with disabilities.

The clinics allow specialist diabetes care to be managed in primary care, and referrals to this service come from general practices, community matrons, district nursing, secondary care and other specialist nurses. Appointments are booked via phone on a central number, allowing people to choose the clinic location and time to fit their lifestyle and commitments, but still retain continuity of the staff they see.

### Improved access

The clinic is extremely popular, particularly with those who work and would normally have to take holiday or lose pay to attend appointments. The fact that people want to drive home from Wolverhampton, London, and Manchester, and then attend a clinic may illustrate how motivated they are to take control of their diabetes.

Frequently those seen in the late-night clinics have type 1 diabetes and have been unable to attend regular diabetes care for some years. These people tend to have more complicated problems related to diabetes. On referral these people generally have poor glycaemic control with frequent episodes of hypoglycaemia with few or no warning signs. Many are on older insulin regimens and frequently use vial and syringe, with some still mixing insulins.

Even though at first glance it is apparent that these people have poor glycaemic control, many have managed extremely well with little education and support, avoiding emergency admissions to hospital with diabetic ketoacidosis or hypoglycaemia. When discussing quality of life, many rate this as poor due to the frequent hypoglycaemia they experience. These clinics have reduced the frequency of hypoglycaemia with the use of newer insulins and up-to-date information.

Late-night clinics also help carers. The team's oldest client is a woman in her 80s; she relies on her son to bring her for her appointments and he was unable to get time off during the day to take her to appointments.

In addition, we now have a near-patient testing  $HbA_{1c}$  machine, as we have found attending for blood tests has also been an issue for clients. We are now able to use this during the consultation and offer a more complete service as a result.

### Conclusion

The ability to access diabetes care out of normal hours has had a profound effect on these people's diabetes control and HbA<sub>1c</sub>, as well as the development of self-management skills.

Using the supermarket means the team have ready access to a huge range of food items, and can spend time looking at packets and discussing carbohydrate counting with products people would normally buy. Helping people to understand what to look for on labels is particularly useful. As the team's consultations are person-centred we support these people by focusing on specific areas that help them to meet their current action plan goals.

Feedback has been very positive. As one person commented:

"I like the fact it's normal to come to a supermarket. Why should I have to visit a hospital? I'm not ill."

As the clinics have proved so popular the team have increased the frequency to twice weekly. The clinics have clearly met a previously un-addressed need.

# The IMPROVE<sup>TM</sup> Control Campaign

The Global Task Force on Glycaemic Control is a group of physicians and specialists in the field of diabetes from around the world that is working in collaboration with Novo Nordisk with the ultimate aim of identifying and developing practical solutions to the global problem of poor glycaemic control in people with diabetes. Since early 2008, the *Journal of Diabetes Nursing* has featured articles and submissions under the banner of IMPROVE<sup>TM</sup> Control – a global public awareness campaign focused on the need for improved control, as part of the Task Force's work. Throughout 2009, the journal will continue to bring you articles on the barriers to good glycaemic control, and submissions from *you*, our readers, outlining the strategies you have used to help people with diabetes improve their control.

For example, perhaps you have implemented a new educational session in your area that has helped break down barriers to control, or maybe you have set up a new referral pathway that has helped improve  $HbA_{lc}$  levels. The *Journal of Diabetes* 

novo nordisk

Journal of
Diabetes Nursing

changing diabetes

Nursing would like to help you share your practical solutions for improving control, no matter how big or small, with other nurses working in diabetes. We encourage you to take part in this global initiative by calling 020 7627 1510, or emailing jdn@sbcommunicationsgroup.com.