

# Diabetes 101: A novel method for engaging families with diabetes during the COVID-19 pandemic

*Maria Leveridge, Rose Stewart, Rachael Bowker, Donna Edwards, Victoria Alabraba, Sam Barnard, Hannah Beba, Julie Brake, Alison Cox, Amanda Epps, Tamsin Fletcher-Salt, Patrick Holmes, Partha S Kar, Bethany Kelly, Phillip Newland-Jones, Sze May Ng, Amar Puttanna, Rebecca L Thomas*

**Diabetes 101 was created by a virtual multidisciplinary diabetes team and initially operated via Twitter in March 2020 as a response to the first national UK lockdown of the COVID-19 pandemic. Anxieties for parents and carers of children living with diabetes were extremely high. Misinformation and a lack of specific guidance for children with type 1 diabetes was a significant problem. This was coupled with intense pressure on clinical services, which were working with reduced staff due to redeployment or self-isolation. The account quickly became a mainstay of the diabetes online community and is now routinely tagged when Twitter users have questions about diabetes. Novel formats of education delivery have been successfully trialed and a resource-sharing website has been developed. The project has demonstrated the power of creative and agile team working combined with accessible technology during one of the most challenging years in NHS diabetes care history.**

In March 2020, the UK was facing the start of the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) pandemic (COVID-19) and the first national lockdown was imminent. Information was emerging about the potential adverse impact this virus could have on adults with diabetes, yet there was a paucity of information on the effects of COVID-19 on those under 18 years of age. This caused significantly increased anxiety among parents and carers of children and young people (CYP) with diabetes. Clinical teams were inundated with queries from parents about school, isolation and risks around managing illness with COVID-19. Unfortunately, however, an increase in COVID-19 admissions meant that diabetes specialist teams were being redeployed to other areas of the hospital. In addition, clinicians were being exposed to COVID-19 or needing to isolate due to close contacts. This impacted paediatric teams by leaving fewer staff members to find the

correct information or answer the queries. Urgent steps were required to identify a way to provide rapid, reliable, evidence-based information and reassurance for both people with diabetes and paediatric diabetes teams.

This article describes how the Diabetes 101 Twitter account was created, the phases of implementation, novel methods for education and how it changed and developed in response to engagement from the diabetes online community.

## Developing the team

There is a large and established diabetes online community (DOC) on Twitter, including adults with diabetes, parents of CYP with diabetes and diabetes healthcare professionals (HCPs), who utilise Twitter for sharing information on diabetes topics such as diet, technology and COVID-19 (Thomas et al, 2021a). In March 2020, HCPs engaging with people with diabetes (PWD) were struck by the level of anxiety and

**Citation:** Leveridge M, Stewart R, Bowker R et al (2022) Diabetes 101: A novel method for engaging families with diabetes during the COVID-19 pandemic. *Diabetes Care for Children & Young People* 11: [Early view publication]

## Article points

1. Twitter is a rapid and responsive format for dissemination of key advice for people living with diabetes and their families.
2. Novel educational formats, such as tweetorials and quizzes, delivered via Twitter, engage and promote positive interactions with diabetes healthcare professionals.
3. A limitation of using social media for dissemination of education or information is that it is accessed less frequently by CYP as many sites define the age limit to those over 13 years.
4. Parents find the @\_diabetes101 account a reliable, credible and responsive resource that enables rapid access to a health professional to signpost relevant and accurate clinical information.

## Key words

- COVID-19 pandemic
- Education
- Multidisciplinary team
- Social media
- Type 1 diabetes

## Authors

Authors' details can be found at the end of the article.

### Page points

1. The aim of the account was to provide reactive and proactive expert advice, education and social support during a pandemic.
2. Twitter is an accessible format that can be modified to translate and provides voice reading interface fostering greater inclusively.
3. To build a strong online community activities targeted at including children and parents were used.

appetite for reliable information that was being voiced within the DOC.

Twenty HCPs from across the UK contributed to the development of the [@diabetes101](#) Twitter account. Disciplines represented within the team included medicine, nursing, general practice, pharmacy, dietetics, eye care, psychology and paediatrics. All are experts in their field with an active Twitter presence. The team includes several HCPs who live with diabetes themselves or who are parents of children with diabetes. The account is curated in the professionals' own time on a voluntary basis. Hosting the account primarily on Twitter enabled HCPs to provide free and easily accessible support to users across the UK and around the world. The account aims were to provide reactive and proactive advice, educational input and social support in real time, during the pandemic.

### Phases of implementation

The Diabetes 101 project was structured in a number of phases with distinct goals to match the predominant population concerns, and to complement demands on the team's clinical job roles:

- Phase 1: Provide clear information and contain anxiety in the "preparation" phase of COVID-19 and lockdowns.
- Phase 2: Provide a sense of stability and entertainment in the "active" phase of COVID-19 and during lockdowns.
- Phase 3: Provide ongoing support and education in the "ongoing" phase of COVID-19 and lockdowns.

### Communication matters

Every communication from the Twitter account was written in line with the *Language Matters* guidance (NHS England, 2018) to ensure accessibility and acceptability to all PWD.

Greater inclusivity is achieved through the functionality of Twitter as users can choose their own text size and colour schemes, or use the platform with a voice reading interface. It also offers a translate function, so tweets from the account could be understood by users from around the world. This demonstrates that using an accessible platform can provide a much wider reach for important diabetes education, much of which would not have been accessible via routine diabetes services.

### Phase 1: Clear and practical information

During phase 1, the team focused on providing a constant daily presence, with availability for questions, co-ordinating shared activities and building a strong sense of online community. The account shared essential informational resources aimed at parents and carers, such as the Association of Children's Diabetes Clinicians sick day rules for children (Ng et al, 2018). The account also developed daily rituals to build a sense of routine and shared experience (for example, a "morning check-in", an "afternoon tea" and an "evening gratitude"). A number of initiatives were aimed at CYP and their carers to inform and entertain. Many parents and carers of CYP shared positive moments of their child's day, including achievements of first injections or trying new foods. Competitions were created aimed at involving CYP, including art work (see *Figure 1*), den building, kitchen discos and




Figure 1. Competition winner for the Diabetes 101 Twitter banner design 30.04.2020.

recipe sharing, thus providing activities to entertain and involve CYP in the account activities through parents and carers.

### Phases 2 and 3

During phases 2 and 3, the team developed innovative, interactive and novel ways of sharing information and delivering education via infographics, quizzes, “tweetorials” and a Twitter activity campaign, including a virtual exercise club #RunDMC101 and #Move101. Topics were agreed by the HCPs within the Diabetes 101 team and each person took responsibility for the production of one topic, with support from other core members. The aim of content was to update knowledge, signpost to reputable websites for further learning and self-test understanding. Each session was analysed for engagement and impressions (see *Table 1* for the glossary of terms), comments and feedback from participants to inform future sessions’ content and delivery.

### Quizzes

Quiz formats were designed to test knowledge and understanding of each topic. Polls were created via Twitter or a “free text” Tweet encouraging audience participation. Answers and signposting to further learning were delivered at the end of the hour. Members of Diabetes 101 were also online replying to tweets and engaging with answers during the hour. Five quizzes have been delivered (*Table 2*, overleaf) with elements for CYP in the “Easter Bank Holiday Quiz” and the “Food Quiz” in May. The impressions and engagement rate for these two quizzes were 183,954 and 7.1%, respectively.

### Tweetorials

A tweetorial is a brief educational presentation delivered via Twitter with elements of live interaction, such as audience questions, via polls or tweets (Thomas et al, 2021b). Eight tweetorials included specific information for parents and carers of CYP. These included information on flash glucose monitoring and other types of CGM; injection technique; relaxation, sports and exercise; compassion; hypoglycaemia and hypoglycaemia awareness; and keeping your teeth healthy. The impressions and engagement rate of these eight tweetorials were 616,185 and 7.5%, respectively.

**Table 1. Glossary of Twitter analysis terms (Social Status, 2021; Thomas et al, 2021b).**

Term	Explanation
Impressions	The number of times the content is displayed in a user’s timeline, no matter whether it was clicked on or read
Engagement	The number of times a post is directly interacted with in the form of a like, reply, retweet, or click
Engagement rate	The number of people who have interacted with a post/content over the number of times it has shown in a user’s timeline (engagement number divided by impressions and expressed as a percentage)
Likes	A person clicks the heart sign to show appreciation for a tweet
Replies	A response to another person’s tweet. Users can reply by clicking or tapping the reply icon from a tweet. When you reply to someone else, your tweet will show the message
Retweets	A tweet that you share publicly with your followers is known as a retweet. It can be a simple share with followers or a “quote tweet” in which you add your own comment
Clicks	A measure of how often a person clicks through to your content. Includes profile clicks, hashtag clicks and link clicks

### Infographics

Infographics are a simplified guide to various aspects of diabetes care (hypoglycaemia, eye health and psychological techniques), or understanding processes linked to research, such as confidence intervals and hazard ratios. Infographics created by the team were shared across UK diabetes services, primary care and third sector networks. They were also shared around the world, including in Australia, where one of the infographics, *Managing Worry and Diabetes*, was translated into 26 different languages and made into a national TV campaign (Stewart and Augarde, 2020).

### Beyond Twitter

The team recognised that not everyone uses Twitter, so to increase accessibility created a

**Page points**

1. Educational formats included quizzes, tweetorials (an educational tutorial via multiple tweets) and infographics.
2. The website [www.diabetes101.co.uk](http://www.diabetes101.co.uk) was launched to permanently host resources and provide a resource for those not using Twitter.
3. Engagement was high with over 13 million impressions.

**Table 2. Sharing of content within Twitter for quiz and tweetorial content aimed towards children and young people and their families.**

Quiz	Date	Likes	Replies	Retweets
Bank Holiday quiz	13.04.20	207	145	29
Bank Holiday foodie quiz	08.05.20	497	78	33
<b>Tweetorials</b>				
Flash/CGM	30.04.20	221	121	55
Injection technique	16.04.20	591	141	102
Relaxation	23.04.20	394	71	43
Sports and exercise	21.04.20	395	97	90
Compassion	15.07.20	860	81	133
Hypo awareness	13.10.20	745	224	233
Science of hypos	14.10.20	685	139	131
Keeping teeth healthy as you grow	19.11.20	181	18	69

YouTube channel and a website. The website ([www.diabetes101.co.uk](http://www.diabetes101.co.uk)) was launched in January 2021 and permanently hosts the tweetorials, videos, infographics and account information. Diabetes 101 held an online conference via the YouTube channel and hosted multiple Zoom calls with its target audience.

**Engagement**

The Diabetes 101 account has received over 13 million impressions, with an engagement rate of 2.5% to date. Five quizzes and 22 tweetorials have been delivered on the account, receiving over 1 million Twitter impressions, with some individual slides gaining over 15,000 impressions. The videos on the account’s YouTube channel have been viewed more than 6,500 times, and the website has received over 6,000 visitors, with 960 (16%) of visitors going on to the “Tweetorial” page to download educational presentations.

The Bank Holiday quiz at Easter had questions within the main quiz aimed at CYP, and the food quiz was written specifically for CYP. The most popular quiz for engagement was the first Bank Holiday quiz (*Figure 2*). The food quiz had a significant number of likes, although fewer replies than the first quiz.

“Hypo awareness” was the highest tweetorial for engagement, although both this and the Bank Holiday quiz also included content for adults with diabetes, as well as CYP. Compassion was the most




Figure 2. Impressions and engagement within quiz and tweetorial sessions.

liked tweetorial (Table 2) and the two tweetorials about hypoglycaemia were the most retweeted. It can therefore be hypothesised that those individuals felt the content important to share with their followers. The least popular tweetorials for engagement were toothcare and relaxation. Fewer retweets were seen for relaxation, flash/CGM for children and toothcare.

### User feedback

During the progress of the account, the development group continually sought feedback from PWD asking what they found useful or did not like, and what education sessions they wanted. Engagement was reviewed by the team and content refined and altered based on the level of impressions, retweets, likes and engagement. Daily team discussions about the feedback occurred and the account activity was continually monitored to obtain real-time usage data to see what worked and what did not. As a result we found that quizzes with polls proved popular, as PWD like them to recap and remind them of information.

A survey of the demographics of the @diabetes101 account showed that more adults living with diabetes access the account than parents and carers of CYP. A week-long survey of account users (currently awaiting publication) was undertaken in May 2020 to evaluate the account demographics and their opinions on the account. A total of 459 responses were collated, representing 10% of the account's 4813 followers (as of June 2020). There was less representation from parents and carers (13%,  $n=60$ ) compared to people with diabetes (76%  $n=348$ ). A small proportion of respondents (1.5%,  $n=7$ ) identified themselves as "other", primarily due to fitting into multiple categories (for example, a person with diabetes who is also the parent of a child with diabetes).

The whole community (adults, CYP and parents) found the account fun, informative and positive (Figure 3). When asked about their primary reason for accessing the account, most respondents (45.5%) indicated that they were looking for accurate information and the vast majority of account users (92%) indicated that they would recommend the account to friends, family, other PWD and diabetes HCPs.



Figure 3. Word cloud illustrating the three words to describe the Diabetes 101 team, as reported by users.

Five (4.6%) responses from the additional comments ( $n=109$ ) were clearly identified as being from parents (Box 1, overleaf). They found the team members were credible, expert and reassuring. The parents felt including CYP in the content and education was useful, and they found the delivery interactive and inclusive for their children. It was also noted, however, that the platform used was unlikely to be accessed by a teenager.

### Discussion

COVID-19 has been the widest-reaching communicable disease in decades, and PWD have been adversely affected compared with those without diabetes, although, reassuringly, CYP were less seriously affected than adults (Holman et al, 2020).

The @diabetes101 account sought to be inclusive to all age groups from the outset. This included a number of tweetorials and quiz sessions aimed specifically at CYP and parents or carers. In total, the CYP-focused sessions achieved over 800,000 impressions, with an engagement rate of 7.4%. This is a high level of engagement (Wadhwa et al, 2017; ContentCal, 2020; Scrunch.com, 2021), even though social media accounts include an age limit of over 13 years. The topics of education directly aimed at CYP and parents received a lower number of impressions; however, they did achieve a higher level of engagement compared to the sessions that were aimed at adults (over 1 million impressions and 5.4% engagement

**Box 1. Feedback from children and young people and their parents.**

*“Can’t thank the team that give up their time, especially Partha for the reassurances and guidance in this uncertain time. As mum to a type 1 teen and with all the hype in the press surrounding diabetes (much of which is inaccurately reported) it has taken a lot of stress away with this source of support. Thank you!!!”*

*“Really helpful knowing I can get advice or be pointed in the right direction without waiting for my own paed’s team to get back to me, as I know they are incredibly busy currently. I feel like I’m not wasting anyone’s time. It’s a safe space to ask questions without feeling silly.”*

*“It’s just good to feel part of group, even as a carer.”*

*“Really interactive and been great to get children and young people involved in relevant topics too.”*

*“Use on other platforms. My T1 teen only uses Instagram. I prefer Facebook.”*

rate). This was not unexpected as there are fewer CYP with diabetes (27,653 CYP with type 1 diabetes in England and Wales [Royal College of Paediatrics and Child Health, 2021]) than adults (281,450 adults with type 1 diabetes in England and Wales, [Diabetes UK, 2020]). Globally, CYP are less likely to utilise Twitter as a form of diabetes support, with 6.6% of users in the 13–17 years age group (Statista, 2021a). Instagram was the most popular social media platform used by children (12–15 years) in 2020, closely followed by SnapChat and Facebook, and then WhatsApp (Statista, 2021b).

In general, CYP feel happy to access accounts that do not require logins or passwords and it is important that CYP feel safe and secure, and that content is reputable and kept up to date (Nordfeldt, 2013). The authors acknowledge that engaging CYP who access the account to ascertain their views on education content, delivery style and preferred platform would be beneficial.

While the use of social media in health research is growing, utilising it for education, community building and peer support, especially for the target audience of CYP, parents and carers, has been limited. Review of the literature has found only three studies using social media for patient education and care, and one study for information health management (Attai et al, 2015; Theiss et al, 2016; Ansari et al, 2020). These studies

were not aimed at CYP or their parents and carers. Therefore, further studies are needed to understand the impact of providing education via social media for this specific target group on health and wellbeing, as well as psychological distress outcomes.

In addition to providing education, social media platforms can be used to build communities for peer support. Offline peer support has been reported to be beneficial to CYP with diabetes, potentially improving diabetes self-care behaviour (Wysocki and Greco, 2006), although other analyses show the effects are mixed (Palladino and Helgeson, 2012). Provision and effectiveness of online support with other CYP with diabetes within these age groups requires further study. This research should also explore the use of social media platforms that are more likely to have higher levels of CYP usage, such as Instagram, SnapChat and TikTok.

There are limitations of using social media to provide education. There are groups who may be digitally excluded from this type of education and they are more likely to be from ethnic minorities, certain faiths or deprived backgrounds. There are also many social media platforms used by different age groups, and to provide education across all of these platforms would be considerably time-consuming, to the point of compromising practicability.

In addition, the pitfalls of social media should also be considered, such as the potential for cyber bullying and the potential detrimental effect on the patient–HCP relationship (Reidy et al, 2019). We must also consider the harms that could be caused by the content posted. For example, those in the DOC who are experiencing psychological distress may find that the sessions on eye health trigger anxiety around diabetes complications. Furthermore, peers sharing diabetes successes could trigger a sense of failure in some members of the DOC.

**Conclusions**

To our knowledge, this is the first example of an online healthcare response to a national crisis via social media. The interactive nature of Twitter means that the account was able to continually integrate feedback of PWD and be shaped by the

community that naturally developed. CYP and parents were less represented than adults with diabetes, but they valued the account's content and felt included in the online community. Further research should consider the effectiveness of online support and how best to reach and engage CYP.

The Diabetes 101 team was delighted to be awarded two [Quality in Care Diabetes awards](#) in October 2021, in the Collaborative Project of the Year category and the Unsung Hero category. ■

- Ansari JAN, Khan NA (2020) Exploring the role of social media in collaborative learning the new domain of learning. *Smart Learn Environ* 7: 9
- Attai DJ, Cowher MS, Al-Hamadani M et al (2015) Twitter social media is an effective tool for breast cancer patient education and support: patient-reported outcomes by survey. *J Med Internet Res* 17: e188
- ContentCal (2020) *What is a good social media engagement rate?* Available at: <https://bit.ly/3528tOT> (accessed 22.03.22)
- Diabetes UK (2020) *Diabetes statistics*. Available at: <https://bit.ly/3qrIU25> (accessed 22.03.22)
- Holman N, Knighton P, Kar P et al (2020) Risk factors for COVID-19-related mortality in people with type 1 and type 2 diabetes in England: a population-based cohort study. *Lancet Diabetes Endocrinol* 8: 823–33
- Ng SM, Soni A, Agwu J et al (2018) *Patient advice for management of type 1 diabetes mellitus during illness in children and young people under 18 years (Sick Day Rules)* Version 4. Association of Children's Diabetes Clinicians. Available at: <https://bit.ly/3JFQ35p> (accessed 22.03.22)
- NHS England (2018) *Language Matters: Language and diabetes*. NHS England, Redditch, UK. Available at: <https://bit.ly/3NhNRmX> (accessed 22.03.22)
- Nordfeldt S, Ångarne-Lindberg T, Nordwall M et al (2013) As facts and chats go online, what is important for adolescents with type 1 diabetes? *PLoS ONE* 8: e67659
- Palladino DK, Helgeson VS (2012) Friends or foes? A review of peer influence on self-care and glycemic control in adolescents with type 1 diabetes. *J Pediatr Psychol* 37: 591–603
- Reidy C, Klonoff DC, Barnard-Kelly KD (2019) Supporting good intentions with good evidence: how to increase the benefits of diabetes social media. *J Diabetes Sci Technol* 13: 974–8
- Royal College of Paediatrics and Child Health (2021) *National Paediatric Diabetes Audit: Annual report 2019–20. Care processes and outcomes*. Available at: <https://bit.ly/3qu3MVC> (accessed 22.03.22)
- Scrunch (2021) *What is a good engagement rate on Twitter?* Available at: <https://bit.ly/3iske4b> (accessed 22.03.22)
- Statista (2021a) *Distribution of Twitter users worldwide as of April 2021, by age group*. Available at: <https://bit.ly/3ICbblB> (accessed 22.03.22)
- Statista (2021b) *Social media sites or apps used by children in the United Kingdom (UK) in 2020*. Available at: <https://bit.ly/3tCTiFp> (accessed 22.03.22)
- Stewart R, Augarde S (2020) *Managing worry about COVID-19 and diabetes*. Australian National Diabetes Service Scheme. Available at: <https://bit.ly/3lv9CMw> (accessed 22.03.22)

- Theiss SK, Burke RM, Cory JL, Fairley TL (2016) Getting beyond impressions: an evaluation of engagement with breast cancer-related Facebook content. *MHealth* 2: 41
- Thomas RL, Stewart R, Kelly B et al (2021a) How does a pandemic change the conversation in the diabetes social media community? *Diabetes & Primary Care* 23: 141–6
- Thomas RL, Alabraba V, Barnard S et al (2021b) Use of social media as a platform for education and support people with diabetes during a global pandemic. *J Diabetes Sc Technol* 31 Oct [Epub ahead of print]. <https://doi.org/10.1177/19322968211054862>
- Wadhwa V, Latimer E, Chatterjee K et al (2017) Maximizing the tweet engagement rate in academia: analysis of the AJNR Twitter feed. *Am J Neuroradiol* 38: 1866–8
- Wysocki T, Greco P (2006) Social support and diabetes management in childhood and adolescence: influence of parents and friends. *Curr Diab Rep* 6: 117–22

## Authors

Maria Leveridge, Specialist Paediatric Diabetes Dietitian, Royal Devon and Exeter NHS Foundation Trust; Rose Stewart, Consultant Psychologist, Betsi Cadwaladr University Health Board; Rachael Bowker, Paediatric Diabetes Specialist Nurse, Salford NHS Foundation Trust; Donna Edwards, Locality Lead Diabetes Specialist Nurse, Northumbria Healthcare NHS Foundation Trust; Victoria Alabraba, Education and Research Associate, University Hospitals Leicester NHS Trust; Sam Barnard, Paediatric Diabetes Specialist Nurse, Calderdale and Huddersfield NHS Foundation Trust; Hannah Beba, Provisional Consultant Pharmacist Diabetes and Endocrinology NHS Leeds Commissioning Group; Julie Brake, Nurse Consultant – Diabetes, Liverpool University Hospital Foundation NHS Trust; Alison Cox, Diabetes Specialist Nurse, University College Hospitals London; Amanda Epps, Diabetes Specialist Nurse, Medway NHS Foundation Trust; Tamsin Fletcher-Salt, Clinical Diabetes Specialist Nurse University Hospital of North Midlands NHS Trust; Patrick Holmes, GP Partner, St Georges Medical Practice, Darlington; Partha Kar, Consultant Diabetologist, Portsmouth Hospitals University NHS Trust; Nusrat Kausar, Specialist Diabetes Dietitian, West Leeds Primary Care Network, Modality Airedale, Wharfedale and Craven Primary Care Network; Bethany Kelly, Lead Clinical Diabetes Specialist Nurse, Wiltshire Health and Care; Philip Newland-Jones, Consultant Pharmacist Diabetes and Endocrinology University Hospital Southampton; Sze May Ng, Consultant Paediatric Endocrinologist, Southport and Ormskirk NHS Trust; Amar Puttanna, Consultant Diabetologist and National Advisor for Clinical Engagement, Sanofi; Rebecca Thomas, Senior Research Officer and Informatics Lead Diabetes Research group, Swansea University Medical School, Swansea.

**“The Diabetes 101 team were delighted to be awarded two Quality in Care Diabetes awards.”**